

Scan only

HP ScanJet Enterprise Flow 5000 s4 Sheet-feed Scanner



Give your office powerful scan speed and accuracy. Built-in software and an 80-page automatic document feeder help you save time. Scan at up to 50 ppm/100 ipm.¹ Recommended for 6,000 pages per day.



Fast, smooth scanning—even unattended

- Capture entire documents with one-pass duplex scanning up to 100 ipm
- Free up space for work. This HP ScanJet is small and slim—a modern design perfect for the desktop.
- Capture a wide range of documents—even stacks of mixed media sizes and types—with HP EveryPage.²
- Load up to 80 pages into the automatic document feeder for fast, unattended scanning.



Peak workflow performance. Smarter scanning.

- Identify new devices and gain insight into scanning with HP Web Jetadmin remote discovery and monitoring.³
- Simplify the way you scan A3-size documents—no need for a carrier sheet.
- Scan images directly into applications with included and full-featured 32-bit and 64-bit TWAIN and ISIS®.
- Easily transfer scans into editable text, encrypted PDF files, and more file types, using built-in OCR and zonal OCR.



Professional-grade scanning that helps save time

- Save time and simplify complex scan jobs with HP Smart Document Scan Software.
- Create one-button scan settings for recurring tasks, and make selections using the LCD control panel.
- Scan directly to mobile devices with the HP JetAdvantage Capture App, and then edit and save files.⁵
- Capture and organize documents, business cards, and other file types with feature-rich software.

¹ Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

² HP EveryPage is referred to as HP Precision Feed on HP ScanJet devices introduced prior to May 2013.

³ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

⁴ Scanning from a mobile device requires the HP Wireless Adapter 100 (L2761A), which must be purchased separately, and the HP JetAdvantage Capture App. The app is available for mobile devices running Android™ version 4.0 and higher, and can be downloaded from the Google Play™ store. For more information, see <http://www.hp.com/go/documentmanagement>. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. Wi-Fi Direct® scanning requires the mobile device to be connected directly to the Wi-Fi® network of the scanner. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance®.

Technical specifications

Scan Technology	CMOS CIS
Scan Type	Sheetfed; Color Scanning: Yes
Scan speed ADF (letter)	Up to 50 ppm/100 ipm for (b&w, 300ppi)
Task speed	10 x 15 cm (4 x 6 in) color photo to file (200 dpi, 24-bit, tiff): about 5.18 sec for single image scan; 10 x 15 cm (4 x 6 in) color photo to e-mail (150 dpi, 24-bit): about 4.98 sec for single image scan; about 1.43 sec for single image scan send to email. Totally 6.41 sec; A4 (8.27 x 11.69 in) PDF to e-mail (300 dpi, 24-bit): about 6.63 sec for single image scan; about 3 sec for single image send to email. Totally 9.63 sec
Scan Resolution	Hardware: Up to 600 dpi (color and mono, Sheet-feed) Optical: Up to 600 dpi (color and mono, Sheet-feed)
Scan File Format	For text & images: ePub 3.0, HTML 4.0, JPEG, Microsoft Excel/Powerpoint/Word, PDF, PNG, TIFF, Text (.txt), Rich Text (rtf), UNICODE Text, Windows Bitmap, WordPerfect, XML Document/Paper Specification and Searchable PDF
Scan Input Modes	Two scan modes (simplex/duplex) on front-panel for HP SDS in Win OS and third parties applications via TWAIN, ISIS and WIA.
Scanner Advanced Features	Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, advanced misfeed detection, batch processing, barcode, scan to multiple destinations, Citrix Ready
ENERGY STAR Qualified	Yes
Output Resolution Dpi Settings	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
Bit depth / Grayscale levels	24-bits external 48-bits internal; Grayscale Levels: 256
Scan Size	ADF: 216 x 3100 mm
Media Types	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed, Plastic cards (up to 1.24mm)
Media Size, ADF	U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in)
Media weight (ADF)	40 to 413 g/m ²
Auto document feeder capacity	80 sheets of 75 g/m ² paper
Duty Cycle (Daily)	Recommended for 6,000 pages
Standard connectivity	USB 2.0 and USB 3.0 (SuperSpeed)
Memory	512 MB
Processor Speed	550 MHz
Control Panel	2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button
Image Scaling or Enlargement Range	Will not perform any arbitrary scaling.
Twain Version	Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a
Software Included	HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Smart Document Scan Software, HP Scanner Tools Utility, I.R.I.S. Readiris Pro, I.R.I.S. Cardiris, Nuance PaperPort, EMC ISIS driver
Compatible Operating Systems	OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7, XP: 32-bit or 64-bit
Minimum System Requirements	Windows: Microsoft® Windows® 10, 8.1, 8, 7, XP: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Operating environment	Operating Humidity Range: 15 to 80% RH (non-condensing) Non-operating Humidity Range: 0 to 90% RH (non-condensing) Recommended Humidity Operating Range: 15 to 80% RH (non-condensing) Operating Temperature Range: 10 to 35 °C Storage Temperature Range: -40 to 60 °C Recommended Operating Temperature Range: 10 to 35 °C
Power	Power Supply Type: External Power Adapter Power Consumption: 4.4 watts (ready), 0.8 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) Power Requirements: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use
Dimensions (W x D x H)	310 x 198 x 190 mm
Weight	3.8 kg
What's in the box	HP ScanJet Enterprise Flow 5000 s4 Sheet-feed Scanner; Installation guide, Support flyer, Warranty guide; 2CDs; Power cord; USB cable; Power Adapter
Warranty	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
Electromagnetic emission standard	Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2014/30/EU, EN 55022:2010 (CE mark); China GB9254-2008 (CCC); Taiwan CNS13438:2006 (BSMI); USA CFR47 Part 15, Subpart B (FCC); ICES-003:2012 Issue 6 (Canada); Australia C-tick (includes New Zealand); KN 22 and Korea KCC; EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010
Safety Approvals and Requirements	IEC 60950-1:2005 +A1+A11+A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A1 +A1 +A12+A2; EAC safety; Canada cUL CoC; China CCC; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Taiwan BSMI; Ukraine safety approval
Accessories	HP ScanJet Enterprise Flow 5000 s4/7000 s3 roller replacement kit L2756A

¹ With input and output trays folded and covers closed

² Power requirements are based on the country/region where the scanner is sold. Do not convert operating voltages. This will damage the scanner and void the product warranty.

³ Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.

Ordering Information

Number	Description
L2756A	HP ScanJet Enterprise Flow 5000 s4 Sheet-feed Scanner

HP Care Packs

Number	Description
UH369E	HP 3 year Return Scanjet 5000x Hardware Service
UH370E	HP 3 year Next business day Exchange ScanJet 5000x Hardware Service
UH372E	HP 3 year Next business day Onsite Exchange ScanJet 5000x Hardware Service

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



To learn more, visit hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

