# HP LaserJet Enterprise M507 series

# Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.



#### HP LaserJet Enterprise M507n



#### HP LaserJet Enterprise M507dn



HP LaserJet Enterprise M507x

# The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

## Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.<sup>8</sup>
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.<sup>2</sup>
- Enhanced energy savings up to 29% over prior products plus save with Auto-on/Autooff technology.<sup>3</sup>
- This printer fits in tight places to boost performance in almost any workspace.

# Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin<sup>4</sup>—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.<sup>5</sup>

# Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.<sup>7</sup>
- Don't wait for documents. Print your first page in as little as 10 seconds from energyefficient sleep mode.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies

# Product walkaround



Rear I/O panel closeup

# Series at a glance

			· · · · · · · · · · · · · · · · · · ·
Model (product number)	M507n (1PV86A)	M507dn (1PV87A)	M507x (1PV88A)
Print speed (black) <sup>7</sup>	Up to 43/45 pages per minute (ppm) (A4/letter) <i>(all models)</i>		
Control panel	6.9 cm (2.7-inch) LCD with keypad	6.9 cm (2.7-inch) LCD with keypad	10.9 cm (4.3-inch) touchscreen
Automatic two-sided printing	Manual (driver support provided)	$\checkmark$	$\checkmark$
100-sheet multipurpose tray 1, 550-sheet input tray 2	$\checkmark$	$\checkmark$	$\checkmark$
Standard 550-sheet paper tray 3	Not available	Not available	$\checkmark$
Optional 550-sheet paper tray	Add up to three	Add up to three	Add up to two
Optional printer cabinet	Add up to one (all models)		
Input capacity (standard/maximum <sup>8</sup> )	Up to 650/2,300 sheets	Up to 650/2,300 sheets	Up to 1,200/2,300 sheets
Hardware Integration Pocket <sup>1</sup>	Not available	$\checkmark$	$\checkmark$
Recommended Monthly Page Volume <sup>9</sup>	2,000 to 7,500 pages (all models)		
Cartridge yield <sup>10</sup>	Black: ~ 5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)		
Wireless direct printing <sup>11</sup> /NFC touch-to- print <sup>12</sup>	Optional	Optional	Built-in wireless direct printing; optional NFC touch-to-print
Dual-band Wi-Fi® with Bluetooth® Low Energy <sup>6</sup>	Optional	Optional	Built-in

# HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

#### Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Basic Care (minimum recommended support): Next Business Day Onsite Support

#### 4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

#### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

#### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

### Installation with Network Configuration Service:

Assembly, network configuration, and basic CF2 administrator familiarization. For more information CF2 about HP Care Pack, HP Contractual, or HP Managed CF2 Print Services, visit hp.com/go/printservices



Windows 10







HP Care Pac

# Top features

HP printers have the industry's strongest security<sup>1</sup> because they're always on quard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP Laser Jet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business

Product	
1PV86A 1PV87A 1PV88A	HP LaserJet Enterprise M507n HP LaserJet Enterprise M507dn HP LaserJet Enterprise M507x
Accessories	
3jn69a 4ql32a	HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Jenic Secure USB Reader

3 IN69A	μр

PICONICC	HP Jetairect 3 IOOW BLE/NFC/WIreless Accessory
4QL32A	HP Legic Secure USB Reader
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
F2A72A	HP LaserJet 550-sheet Paper Tray
F2A73A	HP LaserJet Printer Cabinet
G6W84A	HP 1 GB 90-pin DDR3 DIMM
J8031A	HP Jetdirect 2900nw Print Server
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

## Supplies

<sup>-</sup> ava Da d	-
89Y	HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (20,000 pages)
89X	HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages)
89A	HP 89A Black Original LaserJet Toner Cartridge (5,000 pages)

## HP Care Packs

1000700	
UB6Z2E	HP 3 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z3E	HP 4 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z4E	HP 5 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z5E	HP 3 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507
UB6Z6E	HP 4 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507
UB6Z7E	HP 5 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507
	investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP o to hp.com/go/cpc

## Paper Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

# HP LaserJet Enterprise M507 series

Model	HP LaserJet Enterprise M507n	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507x
roduct number unctions	1PV86A Print	1PV87A	1PV88A
unctions rrint	Print		
uplex print options	Manual (driver support provided)	Automatic (standard)	
rint speed <sup>13</sup>	Black (A4, normal): Up to 43 ppm; Black (letter, normal): Up to 45 ppm; Black (A4, duplex): Up to 34 ipm; Black (letter, duplex): Up to 36 ipm		
irst page out <sup>14</sup>	Black (A4, ready): As fast as 5.9 sec; Black (A4, sleep): As fast as	10 sec	
rint technology rint resolution	Laser Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 6	500 dpi: <b>Black (fine lines)</b> Up to 1200 x 1200 dpi	
rint resolution	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200		
echnology Print cartridges	300 dpi, 000 dpi, rie rastres 1200, rie erones 1200		
number	1 (black)		
Standard print anguages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v	1.7), Apple AirPrint™	
	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Softw	vare; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; H	HP WS Pro Proxy Agent; Printer Administrator Resource Kit for I
Printer management	Universal Print Driver (Driver Configuration Utility - Driver Deploy	rment Utility - Managed Printing Administrator)	
Connectivity Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Giga Ethernet; 1 Hardware Integration Pocket; 1 Wi-Fi direct
Mobile printing	Ethernet Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™	Ethernet; 1 Hardware Integration Pocket Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™	802.11b/g/n; 1 Bluetooth low energy Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™
capability <sup>7</sup>	Certified; ROAM optional for easy printing	Certified; ROAM capable for easy printing	Certified; ROAM optional for easy printing; Wi-Fi® Direct print
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Statior and Wi-Fi Direct functionality and BLE.
Network capabilities	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless	HP Jetdirect 2900nw Print Server J8031A	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000 NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless
Memory	Standard: 512 MB; Maximum: 1.5 GB MAX memory, when Access	sory DIMM is installed	
Hard disk	Optional, 500 GB minimum encrypted hard disk drive		
Processor speed Duty cycle (monthly) <sup>8</sup>	1.2 GHz Up to 150,000 pages; Recommended monthly page volume <sup>9</sup> : 2,	000 to 7 500	
Paper handling	op to 150,000 pages, Recommended monthly page volume .2,	000 10 7,500	
nput	100-sheet multipurpose Tray 1, 550-sheet input tray 2	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing	100-sheet multipurpose Tray 1, 550-sheet input Trays 2 ar automatic duplex printing
Dutput	250-sheet output bin	automatic duplex printing	automatic duplex printing
1edia types		ycled, rough); envelopes; labels; cardstock; transparencies; user-	defined
1edia weight	Tray 1: 60 to 200 g/m²; Tray 2+: 60 to 120 g/m²		
1edia Sizes Custom Dimensions (w x d x h)		15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x	
Veight	418 x 376 x 299 mm 11.21 kg	11.48 kg	418 x 376 x 481 mm 16.34 kg
What's in the box <sup>1</sup>	HP LaserJet Enterprise M507n Printer; HP Original LaserJet Toner Cartridge (~5,000 pages); Regulatory flyer (CD replacement); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (APJ region only)	HP Laser Jet Enterprise M507dn Printer; HP Original Laser Jet Toner Cartridge (~5,000 pages); Regulatory flyer (CD replacement); Chile Regulatory flyer (HAC8); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/number list; USB-8ft cable (APJ region only)	HP LaserJet Enterprise M507x Printer; HP Original LaserJet Toner Cartridge (~5,000 pages); Regulatory flyer (CD replacement); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (APJ region only)
Software included	No software solutions are included in the Box, only on http://hp.		
Warranty features	learn about HP award winning service and support options in you	port options vary by product, country and local legal requirement ur region. (wty code 4G; wty ID A001)	s. Contact your Contractual Vendor or go to hp.com/support to
Systems	- -		
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® maclo Sierra v10.12, Apple® macloS High Sierra v10.13, Apple® macloS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/golu		
Minimum system	PC:2 GB available hard disk space, Internet connection, USB port	, Internet browser. For additional OS hardware requirements see	
requirements	Mac: 2 GB available hard drive space, Internet connection or USB		uthentication colutions (o.g. badge readers): Network:
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec onfiguration Plug-in; 802.1X authentication (EAP-EAP, TEAP-LS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity. Decking with self-healing capability; Whitelising - loads only known good code (DLIS, EXES,,); Connection Inspector - helps ensu: network connections to device are safe, Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messar processed and accessable in ArCsint, Splunk, and McAree(ESM) SIEMS		
Fonts and typefaces	105 internal TrueType fonts calable in Academic and Acade		
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad		4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home butte
Display	2.7-in (6.86 cm) QVGA LCD (color graphics)		4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
Energy efficiency	CECP	Blue Angel; CECP; EPEAT® Gold; ENERGY STAR® qualified <sup>11</sup>	Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified <sup>11</sup>
compliance ENERGY STAR			
Qualified	No	Yes	
Power	Power supply type: Built-in 115V or 220V Power Supply, Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 7.5 Å; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 4 Å; Power consumption <sup>3</sup> : 601 (Active Printing) 7.60 (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-0ff), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt; <b>Typical Electricity Consumption</b> number <sup>4</sup> : 1.257 kWh/Week (Blue Angel); 1.310 kWh/Week (Energy Star)	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 4 A; Power consumption <sup>2</sup> : 601 (Active Printing) 7.60 (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-Off), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt; Typical Electricity Consumption number <sup>4</sup> : 1.257 kWh/Week (Blue Angel); 0.420 kWh/Week (Energy Star 3.0)	
	Acoustic power emissions <sup>12</sup> : 6.9 B(A) ; Acoustic power emissions (ready): 3.9 B(A) ; Acoustic pressure emissions	Acoustic power emissions <sup>15</sup> : 6.9 B(A) ; Acoustic power emissions (ready): 3.9 B(A) ; Acoustic pressure emissions bystander (active, printing): 55 dB(A) ; Acoustic pressure	Acoustic power emissions <sup>12</sup> : 6.8 B(A) ; Acoustic power emissions (ready): 3.9 B(A) ; Acoustic pressure emissions bystander (active, printing): 54 dB(A) ; Acoustic pressure
Acoustics	bystander (active, printing): 55 dB(A) ; Acoustic pressure emissions bystander (ready): 25 dB(A)	emissions bystander (ready): 25 dB(A)	emissions bystander (ready): 24 dB(A)
Acoustics Environmental ranges	bystander (active, printing): 55 dB(A) ; Acoustic pressure emissions bystander (ready): 25 dB(A) Operating temperature range: 10 to 32.5°C ; Recommended ope	emissions bystander (ready): 25 dB(A) erating temperature: 15 to 27°C ; Operating humidity range: 10 to	80% RH ; Recommended operating humidity range: 30 to 709
	bystander (active, printing): 55 dB(A); Acoustic pressure emissions bystander (ready): 25 dB(A) Operating temperature range: 10 to 32.5°C; Recommended ope IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN6095 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/E	emissions bystander (ready): 25 dB(A)	80% RH ; Recommended operating humidity range: 30 to 70% 0825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1
Environmental ranges Safety approvals and	bystander (active, printing): 55 dB(A); Acoustic pressure emissions bystander (ready): 25 dB(A) Operating temperature range: 10 to 32.5°C; Recommended ope IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN6095 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/E 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CF required by individual countries.	emissions bystander (ready): 25 dB(A) rating temperature: 15 to 27°C; Operating humidity range: 10 to 0-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 6( U with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CU)	80% RH ; Recommended operating humidity range: 30 to 70 D825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN L Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950- notice No. 50, Dated June 24, 2007; Other safety approvals as es Printing, IPP 2.0, Apple AirPrint <sup>™</sup> , HP ePrint, FTP Print, Goo

#### Footnotes

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

<sup>2</sup> High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately

<sup>3</sup> HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

<sup>4</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

<sup>5</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager <sup>6</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.

<sup>7</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at

http://www.hp.com/go/mobileprinting

<sup>8</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

#### Technical specifications disclaimers

<sup>1</sup> In box cartridge vields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

#### <sup>2</sup> With print cartridges

<sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on

#### measurement of 115V device

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

<sup>5</sup> Best TEC is not applicable to the ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum Sleep Delay was used, Wi-Fi Direct was disabled, and Active I/O - Energy Efficient Ethernet was used. <sup>6</sup> Declared vield value in accordance with ISO/IEC 19752. Actual vields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

<sup>7</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.

<sup>8</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>9</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>10</sup> HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply. <sup>11</sup> FCC Class A emissions - for use in commercial environments, not residential environments

<sup>12</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

13 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

14 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

#### Walkaround Footnotes

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Enterprise M507dn and M507x models include a second-generation HIP. The M507n does not include a

<sup>2</sup> An administrator must enable the easy-access USB port before use

<sup>3</sup> Tray 3 is only standard on the M507x model.

<sup>4</sup> The HP Laser Jet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The HP Laser Jet Enterprise M507n and M507dn models come with a 2.7-inch (6.9 cm) display with 24-keypad.

<sup>6</sup> Dual-band Wi-Fi<sup>®</sup> with Bluetooth<sup>®</sup> Low Energy is standard on the HP LaserJet Enterprise M507x and optional on the M507n and M507d models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3)M69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp.com/go/mobileprinting.

<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>9</sup> Purchase of optional paper trays required to reach maximum input capacity.
<sup>9</sup> Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and <sup>10</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

<sup>11</sup> Wireless direct printing is standard on the HP Laser Jet Enterprise M507x. The M507n and M507dn models can add wireless direct printing with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is

dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. <sup>12</sup> Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

## To learn more, visit http://www.hp.com

hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the@ express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial@ errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and@ the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNX is a registered trademark of The Open Group. Published in APJ 4AA7-4187EEP, Mar 2020

